

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Problem Image Mailbox.**


1:2 SCALE

Model T


Top



FRONT






5/12/54








MODEL 2A

1:2 SCALE




MODEL ZB






CARBON FOLK OF
FIREGLASS
LEAF SPRING BLINDING




CONNECTING ROD DETAIL



Top

RUBBER
TREAD
(X)

Q/M



MODEL 7390W

3015



5. 11/21/03 15:50 FAX 563 388 0804

PERSPECTIVE

FRONT VIEW BEHIND TOE HINGE




FRONT VIEW BEHIND ABOVE VIEW

TOE ASSEMBLY FRONT VIEW




MODEL 3A



1:2 SCALE



MODEL 31b






102 SCALE



MODEL 3C'S




1/2 SCALE



1:2 SCALE



MODEL 4

ADD TO TOP VIEW MODEL 3:





MODEL 5

SEE MODEL 2a
FOR DETAILS





MODEL 6

SEE MODEL 3a
FOR DETAILS



MODEL 7


SEE MODELS 3a
& 4 FOR DETAILS






MODEL 8

(ESCAPE MECHANISM FROM MODEL 4 & 7)

AKS



TOP VIEW OF LOWER SOLE:



TREAD OPTION (KK)






FIGURE 1

Combined Forces

- Linear Spring Total Force on Foot
- Combined Linear + Clockspring on Foot
- ▲— Clockspring Force on Foot



Vertical Travel, total (inches)